

SARS-CoV-2 IgM/IgG

# Antibody Rapid Test


EASY TO USE

HIGH ACCURACY

FAST REACTION



For professional use only



COVID-19, it is a novel coronavirus with new strain that has not been previously identified in humans, belongs to Coronaviruses (CoV) such as Middle East Respiratory Syndrome (MERS-CoV) and Severe Acute Respiratory Syndrome (SARS-CoV).

### Specification

- Sample Volume: 10µl
- Fast Reaction: 15 minutes
- For professional use only

Product Name	Specimen	Format	Kit size
SARS-CoV-2 IgM/IgG Ab Rapid Test	WB/S/P	Cassette	25T/Box

### Intended Use

Used to detect the IgM and IgG antibodies to severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) in human serum, plasma or whole blood sample qualitatively. It is to be used as an aid in the diagnosis of coronavirus infection disease (COVID-19), which is caused by SARS-CoV-2.


### Performance

Sensitivity	94.15%
Specificity	93.91%
Total consistent	94%


\* Note: Results compared to Molecular testing.

## Test procedure and Read result

### Serum/Plasma




1. Add 10µl of serum or plasma vertically into the sample well.




2. Add two (2) drops (70µl) of sample buffer into the sample well.

Within 10~15 minutes




3. Read results within 10~15 minutes, the result is invalid over 20 minutes.

### Whole Blood




1. Add 10µl of whole blood vertically into the sample well.



2. Add two (2) drops (70µl) of sample buffer into the sample well.

Within 10~15 minutes



3. Read results within 10~15 minutes, the result is invalid over 20 minutes.

